

PROCEEDINGS

**2019 International Seminar on
Intelligent Technology and Its Application (ISITIA)**

ISITIA 2019

August 28 – 29, 2019

JW Marriott Hotel, Surabaya, Indonesia

IEEE Catalog Number : CFP19TIA-ART

ISBN 978-1-7281-3749-0

Proceedings
2019 International Seminar on
Intelligent Technology and Its Application (ISITIA)
ISITIA 2019

Copyright 2019 by IEEE.

All rights reserved.

Copyright and Reprint Permission:

Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923. For reprint or republication permission, email to IEEE Copyrights Manager at pubs-permissions@ieee.org. All rights reserved. Copyright ©2019 by IEEE

IEEE Catalog Number : CFP19TIA-ART

ISBN : 978-1-7281-3749-0

ISITIA 2019 TECHNICAL PROGRAM COMMITTEE & REVIEWERS

Prof. Poki Chen, *National Taiwan University of Science and Technology* (Taiwan)
Prof. Mauridhi Purnomo, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Prof. Gamantyo Hendrantoro, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Prof. Yoyon Suprpto, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Prof. Widodo Budiharto, *Bina Nusantara University* (Indonesia)
Dr. Tara Hamilton, *Macquarie University* (Australia)
Dr. Mahardhika Pratama, *Nanyang Technological University* (Singapore)
Prasetyono Hari Mukti, *Technische Universitaet Graz* (Austria)
Dr. Muh Anshar, *Hasanuddin University* (Indonesia)
Dr. Indar Gunadin, *Hasanuddin University* (Indonesia)
Dr. Yusran Ibnu, *Hasanuddin University* (Indonesia)
Dr. Sisdamanto Adinandra, *Universitas Islam Indonesia* (Indonesia)
Dr. Yoanes Bandung, *Institut Teknologi Bandung* (Indonesia)
Dr. Hasballah Zakaria, *Institut Teknologi Bandung* (Indonesia)
Dr. Achmad Affandi, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Trihastuti Agustinah, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Dhany Arifianto, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Achmad Arifin, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Ni Aryani, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Dimas Asfani, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Muhammad Attamimi, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Atar Babgei, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Fajar Budiman, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Endroyono, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Daniar Fahmi, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Chastine Fatichah, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Muhammad Hilman Fatoni, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Puji Handayani, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Ridho Rahman Hariadi, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Zulkifli Hidayat, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Astria Nur Irfansyah, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Eka Iskandar, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Hendra Kusuma, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Vita Lystianingrum, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Ronny Mardiyanto, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Totok Mujiono, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Ardyono Priyadi, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Ketut Purnama, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Reza Fuad Rachmadi, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Indra Raharjana, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Nur Aini Rakhmawati, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Dedet Riawan, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Muhammad Rivai, *Institut Teknologi Sepuluh Nopember* (Indonesia)
I Gusti Satriyadi, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Rachmad Setiawan, *Institut Teknologi Sepuluh Nopember* (Indonesia)

Dr. Eko Setijadi, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Soedibyo, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Surya Sumpeno, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Titiek Suryani, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Heri Suryoatmojo, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Supeno Susiki, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Suwadi, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Dimas Uman Putra, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Adhi Wibawa, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Iwan Wirawan, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Diah Wulandari, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. I Made Yulistya Negara, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Eko Yuniarno, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Feby Agung Pamuji, *Institut Teknologi Sepuluh Nopember* (Indonesia)
Dr. Irwan Purnama, *Lembaga Ilmu Pengetahuan Indonesia (LIPI)* (Indonesia)
Dr. Felix Pasila, *Petra Christian University* (Indonesia)
Handy Wicaksono, *Petra Christian University* (Indonesia)
Dr. Anang Tjahjono, *Politeknik Elektronika Negeri Surabaya* (Indonesia)
Dr. Agus Indra Gunawan, *Politeknik Elektronika Negeri Surabaya* (Indonesia)
Dr. Prima Kristalina, *Politeknik Elektronika Negeri Surabaya* (Indonesia)
Dr. Eni Wardihani, *Politeknik Negeri Semarang* (Indonesia)
Dr. Mat Syaiin, *Politeknik Perkapalan Negeri Surabaya* (Indonesia)
Ir. Gunawan, *Sekolah Tinggi Teknik Surabaya* (Indonesia)
Dr. Robertus Nugroho, *Soegijapranata Catholic University* (Indonesia)
Dr. Nasaruddin Nasaruddin, *Syiah Kuala University* (Indonesia)
Dr. Wayan Ariastina, *Udayana University* (Indonesia)
Dr. Lie Jasa, *Udayana University* (Indonesia)
Dr. Linda Sartika, *Universitas Borneo Tarakan* (Indonesia)
Indra Riyanto, *Universitas Budi Luhur* (Indonesia)
Dr. Iwan Setiawan, *Universitas Diponegoro* (Indonesia)
Dr. Lesnanto Multa Putranto, *Universitas Gadjah Mada* (Indonesia)
Dani Adhipta, *Universitas Gadjah Mada* (Indonesia)
Dr. Hanung Adi Nugroho, *Universitas Gadjah Mada* (Indonesia)
Dr. Teguh Adji, *Universitas Gadjah Mada* (Indonesia)
Dr. Adha Cahyadi, *Universitas Gadjah Mada* (Indonesia)
Dr. Ridi Ferdiana, *Universitas Gadjah Mada* (Indonesia)
Dr. Eka Firmansyah, *Universitas Gadjah Mada* (Indonesia)
Ahmad Nasikun, *Universitas Gadjah Mada* (Indonesia)
Dr. Prapto Nugroho, *Universitas Gadjah Mada* (Indonesia)
Anugerah Persada, *Universitas Gadjah Mada* (Indonesia)
Dr. Harry Prabowo, *Universitas Gadjah Mada* (Indonesia)
Dr. Agfianto Putra, *Universitas Gadjah Mada* (Indonesia)
Dr. Mardhani Riasetiawan, *Universitas Gadjah Mada* (Indonesia)
Dr. Noor Akhmad Setiawan, *Universitas Gadjah Mada* (Indonesia)
Dr. Selo Sulisty, *Universitas Gadjah Mada* (Indonesia)
Dr. Mochammad Wahyudi, *Universitas Gadjah Mada* (Indonesia)
Dr. Sunu Wibirama, *Universitas Gadjah Mada* (Indonesia)

Dr. Bayu Anggorojati, *Universitas Indonesia* (Indonesia)
Dr. Alvin Sahroni, *Universitas Islam Indonesia* (Indonesia)
Dr. I Gede Pasek Suta Wijaya, *Universitas Mataram* (Indonesia)
Dr. Andi Adriansyah, *Universitas Mercu Buana* (Indonesia)
Dr. Irwan Alnarus Kautsar, *Universitas Muhammadiyah Sidoarjo* (Indonesia)
Dr. Ramadoni Syahputra, *Universitas Muhammadiyah Yogyakarta* (Indonesia)
Dr. Kalvein Rantelobo, *Universitas Nusa Cendana* (Indonesia)
Dr. Muhammad Abdillah, *Universitas Pertamina* (Indonesia)
Dr. David Pang, *Universitas Sam Ratulangi* (Indonesia)
Dr. Arthur Mourits Rumagit, *Universitas Sam Ratulangi* (Indonesia)
Dr. Nemuel Pah, *Universitas Surabaya* (Indonesia)
Dr. Delta Prima, *Universitas Surabaya* (Indonesia)
Rahmad Dawood, *Universitas Syiah Kuala* (Indonesia)
Dr. Khairul Anam, *University of Jember* (Indonesia)
Dr. Lailis Syafa'ah, *University of Muhammadiyah Malang* (Indonesia)
Dr. Rony Teguh, *University of Palangkaraya* (Indonesia)
Dr. Ratna Wardani, *Yogyakarta State University* (Indonesia)
Dr. Mohd Ashraf Ahmad, *Universiti Malaysia Pahang* (Malaysia)
Dr. Hana Abdull Halim, *Universiti Malaysia Perlis* (Malaysia)
Dr. Muhammad M. Ramli, *Universiti Malaysia Perlis* (Malaysia)
Dr. Nurul Ain Mohd Said, *Universiti Teknikal Malaysia Melaka* (Malaysia)
Dr. Faridah Hanim Mohd Noh, *Universiti Tun Hussien Onn Malaysia* (Malaysia)
Dr. Lee Yeng Seng, *University Malaysia Perlis* (Malaysia)
Dr. Ohn Zin Lin, *Yangon Technological University* (Myanmar)
Dr. Joshua Abolarinwa, *Federal University of Technology Minna* (Nigeria)

TABLE OF CONTENTS

MESSAGE FROM GENERAL CHAIR	iii
ORGANIZING COMMITTEE	iv
ISITIA 2019 TECHNICAL PROGRAM COMMITTEE	v
TABLE OF CONTENTS	vii
KEYNOTE LECTURES	
Prof. Ryohei Kanzaki	xvi
Assoc. Prof. Dr. Supavadee Aramvith	xvii
Assoc. Prof. Dr. Tara Julia Hamilton	xviii
Dr. Muhammad Rivai	xix
Nicolas Husny Tjioe, M.Sc.	xx
TECHNICAL PAPERS	
Telecommunications and Networking	
Circular Polarization 5.5 GHz Double Square Margin Antenna in the Metal Framed Smartphone for SIL Wireless Sensor <i>Irfan Mujahidin; Aries Boedi Setiawan; Dwi Arman Prasetya</i>	1
Capacity Improvement Factor of HF Multi-Mode Skywave MIMO Channels <i>Teguh Imam Suharto; Gamantyo Hendrantoro; Achmad Mauludiyanto; Umai Saroh; Roberto Corputty; Muriani Muriani</i>	7
Parameter study of coplanar vivaldi antenna feeding structure <i>Efrilia Marifatul Khusna; Eko Setijadi; Gamantyo Hendrantoro</i>	13
A Modified Genetic Algorithm for Resource Allocation in Cognitive Radio Networks in the Presence of Primary Users <i>Niki Robbi; I Wayan Mustika; Widy Widyan</i>	19
IBR-DTN To Solve Communication Problem On Post-Disaster Rescue Mission <i>Muhammad Fauzan; Tito Waluyo Purboyo; Casi Setianingsih</i>	24
Performance Analysis of Ad-Hoc On-Demand Distance Vector (AODV) and Dynamic Source Routing (DSR) Routing Protocols During Data Broadcast Storm Problem in Wireless Ad Hoc Network <i>Ida Nurcahyani; Faritz Laksono</i>	29
Signal Processing	
Asphalt Pavement Pothole Detection using Deep learning method based on YOLO Neural Network <i>Ernin Ukhwah; Yoyon Suprpto; Eko Mulyanto Yuniarno</i>	35

Sensors and Instrumentation

Horizontal Scanning Method by Drone Mounted Photodiode Array for Runway Edge Light Photometry 41
Daniel Steven Doxazo Sitompul; Fakhri Surya; Fakhri Suhandi; Hasballah Zakaria

Comparative Study of Burst And Beams Types Ultrasonic Sensor For Distance Measurements 46
Purwadi Agus Darwito; Murry Raditya; Halimatus Sa'diyah; Arviandi Cikadiarta; Aditya Wimansyah

QCM Coating With rGO Material as a Platform Developing Piezoelectric Biosensor 52
Dody Susilo; Totok Mujiono; Darminto Darminto

Soft Sensor Design of Solar Irradiance Using Multiple Linear Regression 56
Muhammad Khamim Asy'ari; Ali Musyafa'; Ronny Noriyati; Katherin Indriawati

Classification of the Quality of Milk Using Spectrophotometer System Based on Raspberry Pi 61
Fajar Budiman; Muhammad Rivai; Muhammad Gemintang; Suwito Suwito; Harris Pirngadi

Monitoring and Control System for Ammonia and pH Levels for Fish Cultivation Implemented on Raspberry Pi 3B 68
Fajar Budiman; Muhammad Rivai; Muhammad Nugroho

Fuzzy Logic-Based Wet Scrubber to Control Air Pollutant 74
Bima Romadhon Parada Dian Palevi; Muhammad Rivai; Djoko Purwanto

Implementation of Gas and Sound Sensors on Temperature Control of Coffee Roaster Using Fuzzy Logic Method 80
Agus Hayatal Falah; Muhammad Rivai; Djoko Purwanto

Robotics and Automation

Development of Unmanned Aerial Vehicle (UAV) for Dropping Object Accurately Based on Global Positioning System 86
Ronny Mardiyanto

Ladder Diagram Design Based On Change Signal Method For Crude Palm Oil Process 91
Eka Iskandar; Mochammad Rameli; Andhiko Palito F

Leader Follower Navigation System based on Pedestrian Dead Reckoning for Mobile Robot Navigation 96
Muhammad Farih; Mochammad Sahal; Rusdhianto Effendi Abdul Kadir

Power and Energy Systems

Optimizing Tie Switches Allocation and Sizing Distributed Generation (DG) based on Maximize Loadability Simultaneously using HPSO Algorithm 102

<i>Darma Arif Wicaksono; Ontoseno Penangsang; Rony Seto Wibowo; Dimas Fajar Uman Putra; Ni Aryani</i>	
MPPT Based on Modified Incremental Conductance Algorithm for Solar Powered UAV <i>Heri Suryoatmojo</i>	108
A Comparative Study of Maximum Power Point Tracking Algorithms for Wind Energy Systems in Giligenting Island <i>Soedibyo Soedibyo; Ahmad Firyal Adila; Sjamsjul Anam; Mochamad Ashari</i>	114
Design of Single-Forward Type Charger Using SiC MOSFET for Pulsed Power Generator <i>Ahmad Firyal Adila; Heri Suryoatmojo; Mochamad Ashari; Takashi Sakugawa</i>	120
Optimal Placement and Sizing Distributed Generation (DG) Considering Energy Storage Using ABC-QP Algorithm <i>Luthfia Fajariyanti; Rony Seto Wibowo; Ontoseno Penangsang; Dimas Fajar Uman Putra; Ni Aryani</i>	126
Security Constrained Unit Commitment Considering Ramp Rate and Transmission Line Losses Using Binary Particle Swarm Optimization Based on IEEE 30 Bus System <i>Ni Aryani; Dimas Fajar Uman Putra; Elpha Aulia Arifin; A. Saad Daroini</i>	132
Design and Implementation of Three-Phase Grid-Connected Inverter for PV System <i>Nur Rohmat Hadiano; Mustaghfiri Mustaghfiri; Fifi Hesty; Joke Pratilastiarso; Erik Tridianto</i>	138
Application of High Gain Zeta Converter For Photovoltaic System <i>Heri Suryoatmojo</i>	144
Determining Critical Clearing Time Based on Critical Trajectory Method using Unbalance Fault <i>Ardyono Priyadi; Talitha Puspita Sari; Wahyu Dwi Saputro; Naoto Yorino; Mauridhi Hery Purnomo</i>	150
Modelling of Distribution Compensator for Inrush Current of Medium Voltage Induction Motor in an Air Separation Plant Power Systems <i>Indra Hermawan; Mochamad Ashari</i>	155
The Design of RBMP Technique to Limit The Fault Current and Voltage Dip in Medium Voltage Electrical System Application <i>Margo Pujiantara; Vincentius Raki Mahindara; Bintha Fachrurrizza; Ardyono Priyadi; Mauridhi Hery Purnomo</i>	159
Harmonic Effect For Voltage Stability Condition In Radial Distribution System <i>Novian Patria Uman putra; Adi Soeprijanto; Ni Aryani; Dimas Fajar Uman Putra</i>	165

Optimal Planning of Solar PV Using Simple Model for New Feed-in Tariff in Indonesia <i>Kharisma Bani Adam; Hajime Miyauchi</i>	171
Controlling Line Power Flow in JAMALI (Jawa-Madura-Bali) System Using STATCOM <i>Anugerah Akbar Setiyawan; Ontoseno Penangsang; Ni Aryani</i>	177
Design and Implementation of DC-DC Bidirectional Cuk Converter with Average Current Mode Control for Lead Acid Battery Testing <i>Irham Izzatur Rahman; Dedet Riawan; Mochamad Ashari</i>	183
Power Swing Phenomenon on Jawa Bali 500 kV Backbone and Its Mitigation <i>Ontoseno Penangsang; Ni Aryani; Restu Maulana Azmi; Gracia Manuella</i>	189
Security Constrained Unit Commitment Considering Transmission Capacity and Loss With Non-Smooth Generation Cost Function Using Binary Particle Swarm Optimization (BPSO) Algorithm <i>Ni Aryani; Rony Seto Wibowo; Dimas Fajar Uman Putra; A. Saad Daroini; Elpha Aulia Arifin</i>	195
Microelectronics and VLSI	
Implementation of cross correlation with stochastic computation in FPGA <i>Rifqi Yunus Pratama; Thibault Pichel; Astria Nur Irfansyah; Fajar Budiman</i>	201
Information Technology	
Next Generation Firewall for Improving Security in Companies and IOT Network <i>Benfano Soewito</i>	205
Clustering on Multidimensional Poverty Data using PAM and K-prototypes Algorithm (Case Study: Jambi Province 2017) <i>Aris Wijayanto; Yoyon Suprpto; Diah Wulandari</i>	210
Implementation of Cryptography Module Security Certification Based on SNI ISO/IEC 19790:2012 - Security Requirements For Cryptography Module <i>Yasril Andriawan; Ival Tirta</i>	216
Maturity Level Analysis of Governance and Integration IT of Simkeuda in Pamekasan Regency Using COBIT 4.1 <i>Novis Prasetyawan; E Endroyono; Supeno Susiki</i>	222
Authentication of Printed Document Using Quick Response (QR) Code <i>Ahmad Tasyrif Arief; Iwan Wirawan; Yoyon Suprpto</i>	228
Classification of Aircraft Inspection Result Using K-Nearest Neighbors <i>Nurhadiyanto Nurhadiyanto; Supeno Susiki; Eko Setijadi</i>	234
Vehicle Distance Measurement Tuning using Haversine and Micro-Segmentation <i>Aghus Sofwan; Yosua Alvin Adi Soetrisno; Eko Handoyo; M Arfan; Natalia Ramadhani; Amiko Rahmayani</i>	239

Analysis of Secure Bit Rate for Quantum Key Distribution based on EDU-QCRY1 <i>Dedy Septono Putranto; Damayani Suyitno; Haykal Octa Asmar; Rini Wardhani; Mohamad Syahral; Dion Ogi</i>	244
Clinical decision support system for typhoid fever disease using classification techniques <i>Boby Andrianto; Yoyon Suprpto; Istas Pratomo; Ika Irawati</i>	248
High Voltage Engineering	
Wavelet Transformation Selection for Detection of Ferroresonance Behaviour <i>I Made Yulistya Negara; Dimas Anton Asfani; I Gusti Satriyadi; Daniar Fahmi; Bagas Kuntala Aji; Verdiansyah Verdiansyah</i>	253
Floating Metal Particle Motion Characteristics with Shape and Size Variation in the Oil Insulation Under DC Voltage <i>Daniar Fahmi; I Made Yulistya Negara; Dimas Anton Asfani; I Gusti Satriyadi; Tasha Deliana; Juan Christian Soebagio</i>	259
Low-Voltage Arcing Detection on Non-Linear Load with Total Harmonic Distortion and Power Factor Variations <i>Dimas Anton Asfani; Daniar Fahmi; I Made Yulistya Negara; I Gusti Satriyadi; Jefri Setyadi; Made Yudha Pranadiksa Giri</i>	265
Control Systems	
Modeling and Simulation of Independent Speed Steering Control for Front In-wheel in EV Using BLDC Motor in MATLAB GUI <i>Chhith Chhlonh; Dedet Riawan; Heri Suryoatmojo</i>	270
Transition Control on Hybrid Unmanned Aerial Vehicles (UAV) using Altitude Change <i>Imroatul Hudati; Achmad Jazidie; Rusdhianto Efendi Abdul Kadir</i>	276
Path Planning for Differential Drive Mobile Robot to Avoid Static Obstacles Collision using Modified Crossover Genetic Algorithm <i>Nia Saputri Utami; Achmad Jazidie; Rusdhianto Efendi Abdul Kadir</i>	282
Computer Engineering	
SIFT and ICP in Multi-View based Point Clouds Registration for Indoor and Outdoor Scene Reconstruction <i>Muhammad Imanullah; Eko Mulyanto Yuniarno; Surya Sumpeno</i>	288
The IMU and Bend Sensor as a Pointing Device and Click Method <i>Romy Budhi Widodo; Agustinus Haryasena; Hendry Setiawan; Mochamad Subianto; Paulus Irawan; Didik Suharso; Iskandar Iskandar; Ardiansyah; Ari Lusiandri</i>	294
Blind People Guidance System using Stereo Camera <i>Ichsan Pratama Adi; Hendra Kusuma; Muhammad Attamimi</i>	298

Biomedical Engineering

Estimation of Nigrescens Palm Oil Ripeness using Contrast and Skewness from 680 nm Image 304

Agung W. Setiawan; Donny Danudirdjo; Alfie Rizky Ananda

Panoramic of Image Reconstruction Based on Geospatial Data Using SIFT (Scale Invariant Feature Transform) 308

Adi Hermansyah; Eko Mulyanto Yuniarno; Supeno Mardi Susiki Nugroho; Arif Nugroho; Arief Kurniawan

Seizure Type Detection in Epileptic EEG Signal using Empirical Mode Decomposition and Support Vector Machine 314

Inung Wijayanto; Rudy Hartanto; Hanung Adi Nugroho; Bondhan Winduratna

Automatic Detection of Fetal Head using Haar Cascade and Fit Ellipse 320

Putri Nadiyah; Riyanto Sigit; Heny Yuniarti; Noor Rofiqah; Qurina Firdaus

EEG Visualization for Cybersickness Detection During Playing 3D Video Games 325

Khaitami Khaitami; Adhi D Wibawa; Supeno Susiki; Alfi Khoirunnisaa

EEG-based motion task for healthy subjects using time domain feature extraction: A preliminary study for finding parameter for stroke rehabilitation monitoring 331

Dwi Rahmat Mulyanto; Evi Pane; Wardah Rahmatul Islamiyah; Mauridhi Hery Purnomo; Adhi D Wibawa

Identifying EEG Parameters to Monitor Stroke Rehabilitation using Individual Analysis 337

Hendra Setiawan; Wardah Rahmatul Islamiyah; Mauridhi Hery Purnomo; Adhi D Wibawa

The Effect of Sampling Rate on the Extraction of VEP Features Using Wavelet Transform 343

Hasballah Zakaria; Maula Ahmad

Stress Diagnostic System and Digital Medical Record Based Internet of Things 348

Rachmad Setiawan; Fajar Budiman; Wahyu Basori

Wavelet-Based Respiratory Rate Estimation Using Electrocardiogram 354

Anita Miftahul Maghfiroh; Achmad Arifin; Tri Sardjono

Artificial Intelligence and Machine Learning Applications

Wood Strength Classification Based on RGB Color and Image Texture Using KNN Method 360

Okta Dhirga Sukrisdyanto; I Ketut Pumama; Supeno Nugroho

Clustering of female avatar Face features consumers choice using KMeans and SOM algorithm 366

Citra Dewi Megawati, CM; Eko Mulyanto Yuniarno; Supeno Susiki

Pre-Collision Warning and Recommendation System for Assistant Driver using Least Square Support Vector Machine and Fuzzy Logic <i>Alifia Puspaningrum; Adi Suheryadi; A Sumarudin</i>	371
Preliminary Study of Multi Convolution Neural Network-Based Model To Identify Pills Image Using Classification Rules <i>Windra Swastika; Kestrilia Prilianti; Andrian Stefanus; Hendry Setiawan; Afif Zuhri Arfianto; Ari Wibawa; Mohammad Basuki Rahmat; Edy Setiawan</i>	376
Combining SentiStrength and Multilayer Perceptron in Twitter Sentiment Classification <i>Eko Yudhi Prastowo; E Endroyono; Eko Mulyanto Yuniarno</i>	381
Forecasting Sunspot Numbers Using Fuzzy Time Series Markov Chain Model As Flare Identification <i>Dian Candra Rini Novitasari; Nurul Ardhiyah; Nanang Widodo</i>	387
Water Pipe Leak Detection using the k-Nearest Neighbor Method <i>Abdul Rojik; Astria Nur Irfansyah; E Endroyono</i>	393
Village Classification based on Geographic Difficulties using Backpropagation Neural Network Algorithm (Case Study: Village Potential of Sumenep Regency) <i>Heru Setiono; Supeno Susiki; Eko Mulyanto Yuniarno</i>	399
Personality Classification from Online Handwritten Signature using k-Nearest Neighbor <i>Harris Teguh Laga; Evi Pane; Adhi D Wibawa; Mauridhi Hery Purnomo</i>	404
Analysis of Students Ability Assessment Based on Bloom's Taxonomy Using Fuzzy Signatures <i>Eryca Dwi Huzaini R; Umi Laili Yuhana; Eko Setijadi; Mauridhi Hery Purnomo</i>	410
Instance-Aware Semantic Segmentation for Food Calorie Estimation using Mask R-CNN <i>Reza Dea Yogaswara; Eko Mulyanto Yuniarno; Adhi Dharma Wibawa</i>	416
Vehicle Brands and Types Detection Using Mask R-CNN <i>Mohammad Wahyudi Nafi'i; Eko Mulyanto Yuniarno; Achmad Affandi</i>	422
Community Feedback Analysis Using Latent Semantic Analysis (LSA) To Support Smart Government <i>Zakky Sanjifa; Surya Sumpeno; Yoyon Suprpto</i>	428
Development of Indonesian Speech Recognition with Deep Neural Network for Robotic Command <i>Citta Anindya; Djoko Purwanto; Desy Iba Ricoida</i>	434
Regulation Document Search Based on Themes using Cosine Similarity and Naive Bayes <i>Gayuh Suwiatmaja; Surya Sumpeno; I Ketut Eddy Purnama</i>	439

Implementation of Voice Recognition in Disaster Victim Detection System Using Hidden Markov Model (HMM) Method	445
<i>Ferry Alifani; Tito Waluyo Purboyo; Casi Setianingsih</i>	

The IMU and Bend Sensor as a Pointing Device and Click Method

Romy Budhi Widodo

Ma Chung Human-Machine Interaction
Research Center,
Informatics Engineering Study
Program, Ma Chung University
Malang, Indonesia
romy.budhi@machung.ac.id

Mochamad Subianto

Informatics Engineering Study
Program, Ma Chung University
Malang, Indonesia

Didik Dwi Suharso

Politeknik Pelayaran Surabaya,
Gunung Anyar, 60294
Surabaya, Indonesia

Agustinus Bohaswara Haryasena

Ma Chung Human-Machine Interaction
Research Center,
Informatics Engineering Study
Program, Ma Chung University
Malang, Indonesia
bohaswarasena@gmail.com

Paulus Lucky Tirma Irawan

Informatics Engineering Study
Program, Ma Chung University
Malang, Indonesia

Ardiansyah

Politeknik Pelayaran Surabaya,
Gunung Anyar, 60294
Surabaya, Indonesia

Hendry Setiawan

Informatics Engineering Study
Program, Ma Chung University
Malang, Indonesia

Ari Yudha Lusiandri

Politeknik Pelayaran Surabaya,
Gunung Anyar, 60294
Surabaya, Indonesia

Iskandar

Politeknik Pelayaran Surabaya,
Gunung Anyar, 60294
Surabaya, Indonesia

Abstract— A pointing device is one of the important interfaces between human and computer. A mouse is usually used as a pointing device; however, people with physical impairments who can not use a mouse due to its operation should use a table. One candidate for solving this problem is using an upper-arm movement combined with an inertial measurement unit sensor. The upper-arm gestures would be mapped and used to manipulate the mouse cursor on the monitor display. The ‘clicking’ action will be accomplished using a bending sensor attached on the opposite upper-arm. This study evaluates the combination of the IMU and bend sensor (IMU+Bend) as a substitute for the mouse. The evaluation is based on ISO/TS 9241-411: Ergonomics of human-system standard. The results mentioned that the use of IMU is a promising way to emulate the movement of cursor. However, the usage of bend sensor is uncomfortable when it is used as a clicking method. The throughput of the proposed is 1.75 bps, and qualitative results show that the mean of comfort is 4.85 on a Likert scale ranged from 1 to 7.

Keywords— HCI, IMU, ISO 9241-411, mouse

I. INTRODUCTION

A. Background

In Indonesia, according to [1], above 70% of people with special needs have no jobs and do not continue education after junior high school. This includes those with adult-onset disability due to reasons such as work accidents, congenital factors, and diseases. New job opportunities would emerge if people with special needs could operate computers using a mouse specially design for them.

B. Related Work

As can be seen in much of the literature, the inertial measurement unit (IMU), which consists of an accelerometer and gyroscope, can be used as a pointing device, such as in [2] using an accelerometer in a head-pointing device, and in [3] using a handglove inserted accelerometer to identify the hand gestures. The combination of accelerometer and gyroscope, called the IMU, is also used in many applications, such as in [4], [5], for gait measurement devices. The representation of

angle using Euler notation is commonly employed. The movement on the three dimensional space results in the roll, pitch, and yaw orientation measured in degrees. human body movement also has three axes, i.e. sagittal, frontal, and transversal axes. Therefore, the sensor and human body movement are aligned in movement perspectives.

Researchers used an ISO standard from ISO 9241 part 9 in the new version, such as ISO 9241 part 411, to fulfil the evaluation procedure. The ISO instrument was used to evaluate the performance and comfort of a new physical input device, as in some articles [6]–[8].

The rest of this paper focus on the discussion of the use of IMU and a bend sensor to emulate the movement of mouse’s cursor and click actions, respectively. We also continue to evaluate the performance and comfort using Annex B of ISO 9241-411.

II. EVALUATION OF THE PROPOSED DEVICE

A. The System Design

The proposed system consists of the input-process-output phase. The input phase is handled by an IMU sensor and a bend sensor. The IMU detects the upper arm movement along the axes of human movement. the bend sensor was attached in the opposite upper-arm in order to detect the abduction of




Fig. 1. (a) The placement of IMU on the upper-arm; (b) The placement of bend sensor in handling the click action.




Fig. 2. (a) Sensor space; (b) Cursor space.

shoulder joint, as illustrated in Fig.1. The abduction would substitute the mouse's left-click action.

The process phase worked to control the movement of the cursor in a PC monitor. The key aspect of this phase is mapping of three-dimensional angles in the sensor space onto the two dimensional axes in PC monitor. The rotation of θ_x in degree will be called pitch, and θ_y will be called roll. Figure 2 illustrates the sensor and cursor space.

Table I describes the sensor-cursor mapping between the pitch and roll of IMU sensor and the translation of $x - y$ axis on the PC monitor.

TABLE I
THE SENSOR-CURSOR MAPPING

Gesture	DOF	Sensor (control)	Cursor (display)
Pitch-Roll	x		+
	y		-
	z		
	θ_y	+	
	θ_x	+	
	θ_z		

"+" and "-" sign correspond with the directions in Fig.2.

The ISO/TS 9241-411 consist of many tasks, such as the one-directional tapping test, multi-directional tapping test, dragging test, and tracing test [9]. In this study we chose the one-directional tapping test. We consider that the primary users of this device would be people with special needs; therefore we choose the very common usage of the mouse as a tapping apparatus within the direction of the horizontal and vertical cursor. The Annex B of ISO only indicates a one-directional horizontal test; therefore, in this study we modified the test to run both horizontal and vertically.

The ISO main measurement of performance is *Throughput* (TP). This measurement is based on Fitts' law as explained in [10], [11]. TP is the rate of information transfer when a user operates a pointing device. By means of the speed and accuracy measurements of a pointing device, a TP unit is bits per second (bps), where the values depend on movement time (t_m) and effective index of difficulty (ID_e). ID_e measures user precision in segments by using the distance to the target (d) and the effective target width (w_e). The formula is as follows in (1) and (2).

$$TP = \frac{ID_e}{t_m} \quad (1)$$




Fig. 3. Horizontally and vertically designed one-directional tapping test. The "x" mark indicates the spreading of the tapping coordinate by participant. The area inside the bar is the tap target.

$$ID_e = \log_2 \left(\frac{d}{w_e} + 1 \right) \quad w_e = 4.133.s_x \quad (2)$$

The ideal target is the center line of each target bar; however, when a participant tapped the target, it commonly spread across the center line. By using the w_e , we used the distribution of the clicked coordinate by employing the standard deviation (s_x) of the tapping coordinates. Figure 3 illustrates the modified one-direction tapping test.

The test as in Fig. 3 has two pairs of bars, the horizontal and vertical pairs. The participant should tap the indicated bar alternately left to right and then vice versa when the horizontal movement is tested. While the vertical test is executed, the participant should tap the top and bottom bar alternately. The design of experiment is 4 modes x 3 blocks x 50 trials. The modes represent the level of difficulties, which consists of high, intermediate, low, and very low levels of difficulty as suggested in [9]. We combined the d and w to obtain the four levels of difficulty as follows $ID > 6$, $4 < ID \leq 6$, $3 < ID \leq 4$, and $ID \leq 3$ [9]. The calculation of the levels of difficulty (ID) was based on (3), where d and w is the distance to the target and the target width, respectively.

$$ID = \log_2 \frac{d + w}{w} \quad (3)$$

B. Method

1) Participants

We recruited twelve participants, five males and seven females from university alumni and staffs. The average age was 28, with a standard deviation of 13 years.

2) Apparatus

Figure 4 shows the apparatus in the overall block diagram. The GY-951 was employed as the 9 DOF IMU in this study. It consists of the triaxial accelerometer ADXL345, the three-axis gyroscope (ITG3205), and the three-axis magnetometer (HMC5883L). The controller was an ATMEGA328 programmed with the sensor-fusion algorithm. The ATMEGA328 was embedded in GY-951 board produce the Direction Cosine Matrix (DCM) algorithm's result. The roll and pitch was produce by the DCM.




Fig. 4. Block diagram of input devices. Numbers 1 to 4 indicates the order of the process

Arduino Uno was used as the controller receiving the input from *Flex Sensor Flexible Bend* and GY-951. The bluetooth transmitter handled transmitting the data to the laptop.

A laptop with the specification Intel(R) Core (TM) i5-2450M CPU-2.5GHz was used to develop a one-direction test, using C# programming and the application to emulate the mouse cursor for users of the proposed system.





Fig. 5. The data distribution related to: (a) throughput (in bps) and (b) movement time (in seconds)

TABLE II
EXPERIMENT RESULT

Measurement	Device	
	Mouse ^a	IMU+Bend Sensor ^a
TP (bps)	4.59 (0.28)	1.75(0.29)
t_m (ms)	990(200)	2670(1060)
Err.rate (%)	2.81(2.30)	20.49(20.29)

^amean (sd)

III. EXPERIMENT RESULTS

A. The Throughput (TP) and Movement Time (t_m)

The proposed system using IMU and a bend sensor (IMU+Bend) was compared with a mouse as a baseline control. A larger throughput indicates a superior performance. However, a smaller movement time indicates a better speed. Table II represents the quantitative result of this study.

Table II also present the average of error rate of four modes. An error was recorded when the participant tapped the area outside the target.

Figure 5 presents the boxplot of all the data distribution of throughput and movement time.

B. The Qualitative Results of the Experiment

The Annex B of ISO presents a twelve-point questionnaire. It consists of seven questions for comfort assessment and five questions for fatigue assessment. Each question using a seven-point Likert scale. The items of comfort assessment are: 1) Force comfortability; 2) Smoothness; 3) Effortless; 4) Accuracy; 5) Operation speed; 6) General comfort; and 7) Overall operation of input device. In contrast, the items of fatigue assessment are: 1) Finger fatigue; 2) Wrist fatigue; 3) Arm fatigue; 4) Shoulder fatigue; and 5) Neck fatigue.

The result of comfort and fatigue are presented in Table III, where 7 is the best impression, indicating the height of comfort and no any fatigue.

TABLE III
QUALITATIVE RESULT

Assessment	Device	
	Mouse ^a	IMU+Bend Sensor ^a
Mean of comfort	6.46	4.85
Mean of fatigue	6.48	6.25

^aOn average, using a 7-point Likert scale—7 is the best impression

IV. DISCUSSION

The results of the normality test using the Shapiro-Wilk test indicates that the TP of mouse, the t_m of mouse, and the t_m of IMU+Bend sensor is not in normal distribution ($p < 0.05$). The non-parametric analysis was conducted between two independent groups: mouse and IMU+Bend using Mann-Whitney U test both for TP and t_m . It can be concluded that the TP in the mouse group was significantly higher than in the IMU+Bend group ($U = 0.0005$, $p = 0.0005$). We also concluded that the t_m in IMU+Bend group was significantly higher than for the mouse group ($U = 0.0005$, $p = 0.0005$).

The statistical results are not the main goal of our study. Since the standard mouse is a well-known interface in human-computer interaction, we used a standard mouse as a baseline study. Many researchers work with a standard mouse to compare performances among interaction devices, such as in [8], [12]. From our experiment the results of our mouse's *TP* is 4.59 bps; this is in line with others'. By means of this comparison, the results of the experiment is not different from other researchers.

Using the *TP*'s result of the IMU+Bend— 1.75 bps— indicates that the *TP*, which indicates the speed and accuracy of the device, is low when compared with the mouse. We presume that the click method using the bend sensor might be not the best choice. However, since the IMU could measure the three axes of human body, we think that the used of IMU as a substitute for the mouse cursor is a good choice. In the near future we would like to find other methods for clicking devices to improve the performance of the device.

The qualitative results, generated through a questionnaire as in Annex B of ISO, consists of seven questions of comfort assessment and five questions of fatigue assessment. The Mann-Whitney-U test was tested in each question between mouse and the IMU+Bend. The result showed that all answers in comfort assessment is significantly different between the mouse and the IMU+Bend. This indicates that the combination of the IMU+Bend for our clicking method caused discomfort when compared with the mouse.

While the fatigue assessment used five questions, all subjects indicated that two questions, i.e. wrist and shoulder fatigueness, is significantly different between mouse and IMU+Bend. This result implies that the use of IMU in the upper arm with the bend sensor in the opposite upper arm of a subject caused more fatigue than when a mouse is used. we suppose that this is caused by the movement of upper arm in pitch and roll orientation as in Fig. 1a and Fig. 2a. Regarding wrist fatigue, it indicates that the IMU+Bend has higher mean rank than mouse, which indicates that a IMU+Bend has significantly lower wrist fatigue than the mouse does. The other three questions (i.e. finger, arm, and neck fatigue) indicates that the mouse and the IMU+Bend did not have a statistically significant difference. For the arm and neck fatigue, we suppose both mouse and IMU+Bend cause fatigue to the subjects due to the movement of the arm during operation and due to tension in the neck. The finger fatigue due to mouse operation makes sense; however, the finger fatigue in IMU+Bend usage is beyond our prediction because the operation of IMU+Bend was not using fingers at all. We presume that this is due to the tension of finger muscles from arm movement during the operation.

V. CONCLUSION

This study focused on the development of a mouse substitution system using the combination of IMU+Bend sensor. Wherein the IMU was used to map the upper arm movement to cursor movement, and the bend sensor was used

to emulate the clicking action. The evaluation of performance consists of quantitative and qualitative measurement by using the instrument from Annex B of ISO 9241-411. The ISO used throughput and movement time to evaluate the performance of the system. The results show that the proposed IMU is the best choice for emulating the movement of cursor. However, using the Bend sensor for the clicking method resulted in a lack of comfort based on the results of qualitative measurements. The throughput and movement time results indicate that the performance of the proposed system as a mouse substitute is a baseline for future research. However, the system has shown promising results; we recommend that the combination of IMU and other sensors as a clicking method should be explored in future studies.

ACKNOWLEDGMENT

We would like to thank all the people who participated in our experiment. We are also grateful to the Higher Education of Indonesia Government for financial support for this research and all colleagues who support in reviewing our paper.

REFERENCES

- [1] F.A. Prasetyo, "Disability and Health Issues: Evolution Concepts, Human Rights, Complexity of Problems, and Challenges (in Indonesian)," Jakarta, 2014.
- [2] L. Ribas-xirgo and F. López-varquiel, "Accelerometer-Based Computer Mouse for People with Special Needs," *J. Access. Des. All*, vol. 7, no. 1, pp. 1–20, 2017.
- [3] K. S. J. Perng, J.K.; Fisher, B.; Hollar, S.; Pister, "Acceleration sensing glove (ASG)," in *Wearable Computers*, 2002, pp. 178–180.
- [4] R. B. Widodo and C. Wada, "Artificial neural network based step-length prediction using ultrasonic sensors from simulation to implementation in shoe-type measurement device," *J. Adv. Comput. Intell. Intell. Informatics*, vol. 21, no. 2, 2017.
- [5] F. Dadashi, B. Mariani, S. Rochat, C. J. Büla, B. Santos-Eggimann, and K. Aminian, "Gait and Foot Clearance Parameters Obtained using Shoe-Worn Inertial Sensors in a Large-Population Sample of Older Adults," *Sensors*, vol. 14, pp. 443–457, 2014.
- [6] K. L. Norman and K. D. Norman, "Comparison of Relative Versus Absolute Pointing Devices," *Human-Computer Interact. Lab*, pp. 1–17, 2010.
- [7] S. A. Douglas, A. E. A. E. Kirkpatrick, and I. S. MacKenzie, "Testing pointing device performance and user assessment with the ISO 9241, Part 9 standard," *Proc. SIGCHI Conf. Hum. factors Comput. Syst. CHI is limit CHI 99*, vol. 15, no. May, pp. 215–222, 1999.
- [8] I. S. MacKenzie and S. Jusoh, "An Evaluation of Two Input Devices for Remote Pointing," *Eng. Human-Computer Interact.*, vol. 2254, pp. 235–250, 2001.
- [9] International Organization for Standardization, *Technical Specification ISO*, vol. 2002, no. 912018581. Switzerland, 2012.
- [10] I. S. Mackenzie, "Fitts' Law," in *Handbook of human-computer interaction*, vol. 1, Wiley, 2018, pp. 349–370.
- [11] R. W. Soukoreff and I. S. MacKenzie, "Towards a standard for pointing device evaluation, perspectives on 27 years of Fitts' law research in HCI," *Int. J. Hum. Comput. Stud.*, vol. 61, no. 6, pp. 751–789, 2004.
- [12] I. S. MacKenzie, T. Kauppinen, and M. Silfverberg, "Accuracy measures for evaluating computer pointing devices," *Proc. SIGCHI Conf. Hum. factors Comput. Syst. - CHI '01*, pp. 9–16, 2001.