

de Conference collection

## Proceedings of the 3rd International Symposium on Applied Chemistry 2017



Jakarta, Indennia 23-24 Colonar 2011

Colors Contrast in Character

AP Conterence Proceedings

proceedings alouet

## **Scientific Committee:**

- Prof. Arief Budiman (Gadjah Mada University, Indonesia)
- Prof. David Lennon (University of Glasgow, United Kingdom)
- Prof. Khalid M. Khan (University of Karachi, Pakistan)
- Prof. Muhammad Hanafi (Indonesian Institute of Sciences, Indonesia)
- Prof. Nico Voelcker (University of South Australia, Australia)
- Prof. Reinout Heijungs (Leiden University, Netherland)
- Prof. Subyakto (Indonesian Institute of Sciences, Indonesia)
- Prof. Volkan Degirmenci (University of Warwick, United Kingdom)
- Prof. Yanni Sudiyani (Indonesian Institute of Sciences, Indonesia)
- Dr. Ajeng Arum Sari (Indonesian Institute of Sciences, Indonesia)
- Dr. Akhmad Darmawan (Indonesian Institute of Sciences, Indonesia)
- Dr. Anny Sulaswatty (Indonesian Institute of Sciences, Indonesia)
- Dr. Athanasia Amanda Septevani (Indonesian Institute of Sciences, Indonesia)
- Dr. Dieni Mansur (Research Center for Chemistry, LIPI, Indonesia)
- Dr. Edi Iswanto Wiloso (Indonesian Institute of Sciences, Indonesia)
- Dr. Fransiska H. Krismastuti (Indonesian Institute of Sciences, Indonesia)
- Dr. Galuh Widiyarti (Indonesian Institute of Sciences, Indonesia)
- Dr. Haznan Abimanyu (Indonesian Institute of Sciences, Indonesia)
- Dr. Indri Badria Adilina (Indonesian Institute of Sciences, Indonesia)
- Dr. Linar Zalinar Udin (Indonesian Institute of Sciences, Indonesia)
- Dr. Nina Artanti (Indonesian Institute of Sciences, Indonesia)
- Dr. Nino Rinaldi (Indonesian Institute of Sciences, Indonesia)
- Dr. Oaki Yuya (Keio University, Japan)
- Dr. Rizna Triana Dewi (Indonesian Institute of Sciences, Indonesia)
- Dr. Siti Nurul Aisyiyah Jenie (Indonesian Institute of Sciences, Indonesia)
- Dr. Sofa Fajriah (Indonesian Institute of Sciences, Indonesia)
- Dr. Wahyu Dwianto (Indonesian Institute of Sciences, Indonesia)

## Scitation

- <u>AIP Conference Proceedings</u>
- <u>Titles in Print</u>
- <u>Contact Us</u>
- <u>Help</u>

Search this site Search	Search this site		Search
-------------------------	------------------	--	--------

• Login





## Volume 1904: Proceedings of the 3rd International Symposium on Applied Chemistry 2017



**Title information** 

Dotaile	
Details	

**Summary of this volume:** The *3rd International Symposium on Applied Chemistry (ISAC) 2017* was held in the Balai Kartini Exhibition and Convention Center, Jakarta, Indonesia on October 23-24, 2017. This was the third international scientific conference, organized annually by Research Center for Chemistry, Indonesian Institute of Sciences (LIPI). The symposium was focused on bringing together scientists and researchers working in the area of applied chemistry to present their work and to discuss the latest trends in technological developments. There were seven keynote speakers, 48 oral presentations, and 43 poster presentations. Various aspects of chemical-related topics were discussed and the presentations were divided into the following topics: advanced materials and catalysts, sustainable energy, food and natural products and pharmaceutical chemistry, and environmental chemistry.

**These proceedings will be of interest to:** Undergraduate and graduate students, research scientists, academicians, industrial research, and development staff.

**For further information about this volume:** Please view the table of contents available on AIP Publishing's Scitation platform: <u>Volume 1904 table of contents.</u>

About Us Contact Us Privacy Policy Terms & Conditions

Copyright 2017 AIP Publishing LLC. All rights reserved. Powered by Sheridan Press



## PRELIMINARY

#### November 2017

### Preface: The 3rd International Symposium on Applied Chemistry (ISAC) 2017

AIP Conference Proceedings 1904, 010001 (2017); https://doi.org/10.1063/1.5011856

:

#### November 2017

## Committee: The 3rd International Symposium on Applied Chemistry (ISAC) 2017

AIP Conference Proceedings 1904, 010002 (2017); https://doi.org/10.1063/1.5011857

## ARTICLES

November 2017 Isolation and characterization of a-cellulose from blank bunches of palm oil and dry jackfruit leaves with alkaline process NaOH continued with bleaching process H <sub>2</sub> O <sub>2</sub> Dewi Tristantini, Dian Purwitasari Dewanti, and Cindy Sandra AIP Conference Proceedings 1904, 020001 (2017); https://doi.org/10.1063/1.5011858 SHOW ABSTRACT
November 2017 <b>Anti-Fungal activity of essential oil from Baeckea frutescens L against Pleuratus ostreatus</b> Renhart Jemi, Ade Irma Barus, Nuwa, Sarinah <sup>more</sup> AIP Conference Proceedings <b>1904</b> , 020002 (2017); https://doi.org/10.1063/1.5011859
SHOW ABSTRACT
November 2017 Drainage design on peat land and its utilization for fish culture R. Ismu Tribowo, and Fithria Novianti AIP Conference Proceedings 1904, 020003 (2017); https://doi.org/10.1063/1.5011860 SHOW ABSTRACT
November 2017 Application of Taguchi optimisation of electro metal – electro winning (EMEW) for nickel metal from laterite Sudibyo, L. Hermida, A. Junaedi, and F. A. Putra AIP Conference Proceedings 1904, 020004 (2017); https://doi.org/10.1063/1.5011861 SHOW ABSTRACT
November 2017 Atmospheric hydrogenolysis of methyl formate to bio-methanol using Cu/MgO catalyst Hendriyana, Herri Susanto, and Subagjo

AIP Conference Proceedings 1904, 020005 (2017); https://doi.org/10.1063/1.5011862

November 2017	
Application of Taguchi optimization on the cassava starch wastewater electrocoagulation using	
batch recycle method	
Sudibyo, L. Hermida, and Suwardi	
AIP Conference Proceedings <b>1904</b> , 020006 (2017); https://doi.org/10.1063/1.5011863	
SHOW ABSTRACT	-
November 2017 Development of antioxidative effect in ice cream with <i>Kalakai (Stenochlaena palustris) water</i> extract	
Kristania Hadniwaluyo, Della Ranmawati, and Maria D. P. I. Gunawan Puteri	
AIP Conference Proceedings <b>1904</b> , 020007 (2017); https://doi.org/10.1063/1.5011864	
SHOW ABSTRACT	
November 2017	
Performance test of nutrient control equipment for hydroponic plants	
Nurhaidar Rahman, S. I. Kuala, R. I. Tribowo, C. E. W. Anggara <sup>more</sup>	
AIP Conference Proceedings <b>1904</b> , 020008 (2017); https://doi.org/10.1063/1.5011865	
SHOW ABSTRACT	-
November 2017 The antioxidant activity test by using DPPH method from the white tea using different solvents	
Doddy A. Darmajana, Firman Hadiansyah, and Dewi Desnilasari	
AIP Conference Proceedings <b>1904</b> , 020009 (2017); https://doi.org/10.1063/1.5011866	
SHOW ABSTRACT	

Bentonite modification with pillarization method using metal stannum

Robert R. Widjaya, Ariadne L. Juwono, and Nino Rinaldi

AIP Conference Proceedings 1904, 020010 (2017); https://doi.org/10.1063/1.5011867

November 2017	
---------------	--

## Extraction of glutathione from EFB fermentation waste using methanol with sonication process

Muryanto Muryanto, Alvin, Muhammad Nurdin, Ummu Hanifah more...

AIP Conference Proceedings 1904, 020011 (2017); https://doi.org/10.1063/1.5011868

SHOW ABSTRACT

November 2017

## Acetalization of 2-Hydroxybenzaldehyde mechanism using halogen acid catalysts based on ab initio methods

Muhammad Yusuf, Destria Roza, and Ahmad Kamil Nasution

AIP Conference Proceedings 1904, 020012 (2017); https://doi.org/10.1063/1.5011869

SHOW ABSTRACT

November 2017

#### Synthesis of new chalcone derivatives and their antimicrobial studies

Syed Shah Najib Noorulhaq, and Mohammad Abdul Baseer

AIP Conference Proceedings 1904, 020013 (2017); https://doi.org/10.1063/1.5011870

SHOW ABSTRACT

November 2017

### Biogas utilization for drying sweet potato chips by using infrared dryer

Sriharti, Ari Rahayuningtyas, Novita Dwi Susanti, and Rislima Febriani Sitompul

AIP Conference Proceedings 1904, 020014 (2017); https://doi.org/10.1063/1.5011871

SHOW ABSTRACT

November 2017

## Low-cost mercury (II) ion sensor by biosynthesized gold nanoparticles (AuNPs)

Jet G. Guerrero, Gabrielle Jackie Candano, Aileen Nicole Mendoza, Marciella Paderanga more...

AIP Conference Proceedings 1904, 020015 (2017); https://doi.org/10.1063/1.5011872

SHOW ABSTRACT

:

:

:

# The effect of two-stage pretreatment on the physical and chemical characteristic of oil palm empty fruit bunch for bioethanol production

:

:

÷

:

## Dian Burhani, Ary Mauliva Hada Putri, Joko Waluyo, Yulia Nofiana more...

AIP Conference Proceedings 1904, 020016 (2017); https://doi.org/10.1063/1.5011873

SHOW ABSTRACT

November 2017

# Supercritical fluid extraction of ginger (Zingiber Officinale Var. Amarum) : Global yield and composition study

Muhammad Arifuddin Fitriady, Anny Sulaswatty, Egi Agustian, Salahuddin more...

AIP Conference Proceedings 1904, 020017 (2017); https://doi.org/10.1063/1.5011874

SHOW ABSTRACT

November 2017

Preparation of nanobiochar as magnetic solid acid catalyst by pyrolysis-carbonization from oil palm empty fruit bunches

S. N. Aisyiyah Jenie, Anis Kristiani, Kustomo, Sabar Simanungkalit more...

AIP Conference Proceedings 1904, 020018 (2017); https://doi.org/10.1063/1.5011875

SHOW ABSTRACT

November 2017

### Combination of ozonation and photocatalysis for pharmaceutical wastewater treatment

Ratnawati, Enjarlis, and Slamet

AIP Conference Proceedings 1904, 020019 (2017); https://doi.org/10.1063/1.5011876

SHOW ABSTRACT

November 2017

Antioxidant activity, phenolic and flavonoids total of ethanolic extract of Ipomoea batata L. leaves (white, yellow, orange, and purple)

Indah Dwiatmi Dewijanti, Sofna D. Banjarnahor, Triyuliani, Faiza Maryani more...

AIP Conference Proceedings 1904, 020020 (2017); https://doi.org/10.1063/1.5011877

November 2017				
Enzymatic hydrolysis of lignocellulosic biomass by <i>Kitasatospora</i> sp. to produce xylo-				
oligosaccharides (XOS)				
Nanik Rahmani, Alifah Mafatikhul Jannah, Puspita Lisdiyanti, Bambang Prasetya more				
AIP Conference Proceedings <b>1904</b> , 020021 (2017); https://doi.org/10.1063/1.5011878				

SHOW ABSTRACT

November 2017

Production of mannanase from *Bacillus Subtilis* LBF-005 and its potential for manno-oligosaccharides production

Yopi, Nanik Rahmani, Alifah Mafatikhul Jannah, Irfan Pebi Nugraha more...

AIP Conference Proceedings 1904, 020022 (2017); https://doi.org/10.1063/1.5011879

SHOW ABSTRACT

November 2017

Characterization of biomasses, concentrates, and permeates of dried powder of Kombucha fermentation of spinach (*Amaranthus* sp.) and broccoli (*Brassica oleracea*) with membrane microfiltration and freeze drying techniques for natural sources of folic acid

Tutun Nugraha, Agustine Susilowati, Aspiyanto, Puspa Dewi Lotulung more...

AIP Conference Proceedings 1904, 020023 (2017); https://doi.org/10.1063/1.5011880

SHOW ABSTRACT

November 2017

Synthesis of Ni(II) and Cu(II) complexes with N-(benzylcarbamothioyl) benzamide as corrosion inhibitors for mild steel in 1M HCl

Karimah Kassim, Nurul Atikah Nordin, Norsakina Zurina Zulkifli, and Nor Zakiah Nor Hashim

AIP Conference Proceedings 1904, 020024 (2017); https://doi.org/10.1063/1.5011881

### SHOW ABSTRACT

÷

:

:

÷

## Drying process of fermented inulin fiber concentrate by Bifidobacterium bifidum as a dietary fiber

### source for cholesterol binder

Agustine Susilowati, Aspiyanto, and Muhammad Ghozali

AIP Conference Proceedings 1904, 020025 (2017); https://doi.org/10.1063/1.5011882

SHOW ABSTRACT

November 2017

# Simultaneous or separated; comparison approach for saccharification and fermentation process in producing bio-ethanol from EFB

Teuku Beuna Bardant, Deliana Dahnum, and Nur Amaliyah

AIP Conference Proceedings 1904, 020026 (2017); https://doi.org/10.1063/1.5011883

SHOW ABSTRACT

November 2017

## Antioxidant and α-glucosidase activities of benzoic acid derivate from the bark of Myristica fatua Houtt

Megawati, Akhmad Darmawan, Sofa Fajriah, Gian Primahana more...

AIP Conference Proceedings 1904, 020027 (2017); https://doi.org/10.1063/1.5011884

SHOW ABSTRACT

November 2017

Degradation of textile dyes Remazol Brilliant Blue using plasma electrolysis method with the addition of microbubble and Fe<sup>2+</sup> ion

Zainah, and Nelson Saksono

AIP Conference Proceedings 1904, 020028 (2017); https://doi.org/10.1063/1.5011885

SHOW ABSTRACT

November 2017

### Physicochemical properties of flakes made from three varieties of banana

Lia Ratnawati, and Nok Afifah

AIP Conference Proceedings 1904, 020029 (2017); https://doi.org/10.1063/1.5011886

:

:

:

### Characterization and antioxidant activity of gallic acid derivative

Krissan Malinda, Hery Sutanto, and Akhmad Darmawan

AIP Conference Proceedings 1904, 020030 (2017); https://doi.org/10.1063/1.5011887

SHOW ABSTRACT

November 2017

### Adsorption of water from methanol solution using various adsorbent

Hendriyana, Bambang Hari Prabowo, Lulu Nurdini, and Gatot Trilaksono

AIP Conference Proceedings 1904, 020031 (2017); https://doi.org/10.1063/1.5011888

SHOW ABSTRACT

November 2017

Geochemistry characterization, biomarker and determination of correlation, maturity of petroleum from Bangko-Rohil and Duri Bengkalis, Riau

Emrizal Mahidin Tamboesai

AIP Conference Proceedings 1904, 020032 (2017); https://doi.org/10.1063/1.5011889

SHOW ABSTRACT

November 2017

## Sensitivity analysis and nonlinearity assessment of steam cracking furnace process

M. N. Rosli, Sudibyo, and N. Aziz

AIP Conference Proceedings 1904, 020033 (2017); https://doi.org/10.1063/1.5011890

SHOW ABSTRACT

November 2017

## Optimizing the antioxidant activity of Kelakai (Stenochlaena palustris) through multiplestage

### extraction process

Elza Wijaya, Diah Indriani Widiputri, and Della Rahmawati

AIP Conference Proceedings 1904, 020034 (2017); https://doi.org/10.1063/1.5011891

SHOW ABSTRACT

:

:

:

:

## Effect of hydrolysis enzymatic process of corn using protease crude (*Rhizopus oligosporus-*C1) to

## produce corn hydrolisate rich folic acid

Yati Maryati, Agustine Susilowati, Hakiki Melanie, and Puspa D. Lotulung

AIP Conference Proceedings 1904, 020035 (2017); https://doi.org/10.1063/1.5011892

SHOW ABSTRACT

November 2017

## Recovering folic acid and its identification on mixed pastes of tempeh and fermented vegetable as natural source of folic acid

Agustine Susilowati, Aspiyanto, Yati Maryati, Hakiki Melanie more...

AIP Conference Proceedings 1904, 020036 (2017); https://doi.org/10.1063/1.5011893

#### SHOW ABSTRACT

November 2017

### Dispersion polymerization of L-lactide utilizing ionic liquids as reaction medium

Sri Fahmiati, Hideto Minami, Agus Haryono, and Indri B. Adilina

AIP Conference Proceedings 1904, 020037 (2017); https://doi.org/10.1063/1.5011894

#### SHOW ABSTRACT

November 2017

## Plasticization of poly(lactic acid) using different molecular weight of Poly(ethylene glycol)

Athanasia Amanda Septevani, and Samsul Bhakri

AIP Conference Proceedings 1904, 020038 (2017); https://doi.org/10.1063/1.5011895

SHOW ABSTRACT

November 2017

# The evaluation of temperature in synthesizing process of natural iron sand based Fe<sub>3</sub>O<sub>4</sub> nanoparticles for Ni ion adsorption

Eko Arief Setiadi, Feni Amriani, and Perdamean Sebayang

AIP Conference Proceedings 1904, 020039 (2017); https://doi.org/10.1063/1.5011896

:

:

:

November 2017         The influenced of reaction time on the degradation of palm oil empty fruit bunch (EFB) in hydrothermal carbonization         Rakhman Sarwono, and Hendris Hendarsyah Kurniawan         AIP Conference Proceedings 1904, 020040 (2017); https://doi.org/10.1063/1.5011897         SHOW ABSTRACT
November 2017 Application of plasma electrolysis method for simultaneous phenol and Cr(VI) wastewater degradation using Na <sub>2</sub> SO <sub>4</sub> electrolyte Aulia Rahmi Harianti, and Nelson Saksono AIP Conference Proceedings 1904, 020041 (2017); https://doi.org/10.1063/1.5011898 SHOW ABSTRACT
November 2017 Synthesis and characterization of cellulose nanocrystals as reinforcing agent in solely palm based polyurethane foam Athanasia Amanda Septevani, Pratheep K. Annamalai, and Darren J. Martin AIP Conference Proceedings 1904, 020042 (2017); https://doi.org/10.1063/1.5011899 SHOW ABSTRACT
November 2017 The effect of cellulose nanocrystal (CNC) from rattan biomass as filler and citric acid as co-plasticizer on tensile properties of sago starch biocomposite Halimatuddahliana Nasution, Hamidah Harahap, Yayang Afandy, and M. Thoriq AI Fath AIP Conference Proceedings 1904, 020043 (2017); https://doi.org/10.1063/1.5011900 SHOW ABSTRACT
November 2017 <b>Hydrogenation of citral into its derivatives using heterogeneous catalyst</b> Sudiyarmanto, Luthfiana Nurul Hidayati, Anis Kristiani, and Fauzan Aulia AIP Conference Proceedings <b>1904</b> , 020044 (2017); https://doi.org/10.1063/1.5011901

## Straightforward fabrication of black nano silica dusting powder for latent fingerprint imaging

Isna Komalasari, Fransiska Sri Herwahyu Krismastuti, Christine Elishian, Eka Mardika Handayani more...

AIP Conference Proceedings 1904, 020045 (2017); https://doi.org/10.1063/1.5011902

SHOW ABSTRACT

November 2017

# Effect of reaction time and polyethylene glycol monooleate-isocyanate composition on the properties of polyurethane-polysiloxane modified epoxy

Evi Triwulandari, Mohammad Kemilau Ramadhan, and Muhammad Ghozali

AIP Conference Proceedings 1904, 020046 (2017); https://doi.org/10.1063/1.5011903

SHOW ABSTRACT

November 2017

## Effect temperature of supercritical CO<sub>2</sub> fluid extraction on phytochemical analysis and antioxidant activity of *Zingiber officinale Roscoe*

Dewi Sondari, Tun Tedja Irawadi, Dwi Setyaningsih, and Silvester Tursiloadi

AIP Conference Proceedings 1904, 020047 (2017); https://doi.org/10.1063/1.5011904

SHOW ABSTRACT

November 2017

Concentrating biomass of fermented broccoli (*Brassica oleracea*) and spinach (*Amaranthus sp.*) by ultrafiltration for source of organic acids and natural antioxidant

Aspiyanto, Agustine Susilowati, Puspa D. Lotulung, and Yati Maryati

AIP Conference Proceedings 1904, 020048 (2017); https://doi.org/10.1063/1.5011905

SHOW ABSTRACT

:

:

:

:

November 2017

# Thermal hydrogen reduction for preservation of mesoporous silica film nanocomposites with a hexagonal structure containing amphiphilic triphenylene

Hendrik O. Lintang, Mohamad Azani Jalani, and Leny Yuliati

AIP Conference Proceedings 1904, 020049 (2017); https://doi.org/10.1063/1.5011906

November 2017
The influence of the addition of dye surface modifier on the performance of transparent dye
sensitized solar cells
Erlyta Septa Rosa, Shobih, Lilis Retnaningsih, Lia Muliani more...
AIP Conference Proceedings 1904, 020050 (2017); https://doi.org/10.1063/1.5011907
SHOW ABSTRACT

November 2017

## Optimization of carrageenan-based jelly products added with nutrients for reducing osteoporosis risks

Zatil Afrah Athaillah, Irma Eviana, Sri Pudjiraharti, and Agus Haryono

AIP Conference Proceedings 1904, 020051 (2017); https://doi.org/10.1063/1.5011908

SHOW ABSTRACT

November 2017

Formulation of bacterial consortium as whole cell biocatalyst for degradation of oil compounds

Elvi Yetti, Amalia A'la, Nailul Luthfiyah, Hans Wijaya more...

AIP Conference Proceedings 1904, 020052 (2017); https://doi.org/10.1063/1.5011909

SHOW ABSTRACT

November 2017

Preparation, physical characterization, and stability of Ferrous-Chitosan microcapsules using different iron sources

Noer Abyor Handayani, M. Luthfansyah, Elsa Krisanti, Sutrasno Kartohardjono more...

AIP Conference Proceedings 1904, 020053 (2017); https://doi.org/10.1063/1.5011910

SHOW ABSTRACT

:

:

:

November 2017

Effect of salinity medium on antioxidant and antidiabetic activity marine endophytic fungus of asperegillus elegans ptf 9

Hani Mulyani, Nina Artanti, Irni Fitria, Euis Filailla more...

AIP Conference Proceedings 1904, 020054 (2017); https://doi.org/10.1063/1.5011911

SHOW ABSTRACT

November 2017

## Improving the activity of rutile titanium dioxide with reduced graphene oxide

Leny Yuliati, Nor Shuhada Alim, and Hendrik O. Lintang

AIP Conference Proceedings 1904, 020055 (2017); https://doi.org/10.1063/1.5011912

SHOW ABSTRACT

November 2017

# Effects of surface treatment on the physical and chemical properties of carbon supported-Ru catalysts

:

:

÷

:

:

Adid Adep Dwiatmoko

AIP Conference Proceedings 1904, 020056 (2017); https://doi.org/10.1063/1.5011913

SHOW ABSTRACT

November 2017

## The optimization of phthalate analysis from plastic matrices by using GC/MS related techniques

Eka Dian Pusfitasari, Hendris Hendarsyah, and Zatil Afrah Athaillah

AIP Conference Proceedings 1904, 020057 (2017); https://doi.org/10.1063/1.5011914

SHOW ABSTRACT

November 2017

Synthesis of methyl ester sulfonate surfactant from crude palm oil as an active substance of laundry liquid detergent

Slamet, Muhammad Ibadurrohman, and Pangiastika Putri Wulandari

AIP Conference Proceedings 1904, 020058 (2017); https://doi.org/10.1063/1.5011915

SHOW ABSTRACT

November 2017

Degradation of phenol and Cr (VI) wastewater with contact glow discharge electrolysis method and

AIP Conference Proceedings 1904, 020059 (2017); https://doi.org/10.1063/1.5011916

#### SHOW ABSTRACT

#### November 2017

## Production technology readiness assessment of surfactant in the research center for Chemistry-Indonesian Institute of Sciences

:

÷

:

:

:

Arief Ameir Rahman Setiawan, and Anny Sulaswatty

AIP Conference Proceedings 1904, 020060 (2017); https://doi.org/10.1063/1.5011917

#### SHOW ABSTRACT

November 2017

### The effect of adding CTAB template in ZSM-5 synthesis

Widayat Widayat, and Arianti Nuur Annisa

AIP Conference Proceedings 1904, 020061 (2017); https://doi.org/10.1063/1.5011918

### SHOW ABSTRACT

#### November 2017

## Preparation and characterization of Ni based on natural zeolite catalyst for citronellol conversion to 3,7-Dimethyl-1-Octanol

Sudiyarmanto, Luthfiana N. Hidayati, Anis Kristiani, Almira Ghaisani more...

AIP Conference Proceedings 1904, 020062 (2017); https://doi.org/10.1063/1.5011919

SHOW ABSTRACT

November 2017

### Interaction between surfactant and titania in a detergent nanofluid system

Slamet, and Athiek Sri Redjeki

AIP Conference Proceedings 1904, 020063 (2017); https://doi.org/10.1063/1.5011920

SHOW ABSTRACT

Ahmad Tawfiequrrahman Yuliansyah, Agus Prasetya, Arif Eka Putra, and Humam Budi Satriawan

AIP Conference Proceedings 1904, 020064 (2017); https://doi.org/10.1063/1.5011921

#### SHOW ABSTRACT

#### November 2017

# Biodiesel synthesis via transesterification of lipid *Chlorophyta* cultivated in walne rich carbon medium using KOH/Zeolite catalyst

Dianursanti, Siti Zahrotul Hayati, and Dwini Normayulisa Putri

AIP Conference Proceedings 1904, 020065 (2017); https://doi.org/10.1063/1.5011922

#### SHOW ABSTRACT

November 2017

## Dyes removal using activated carbon from palm oil waste with digital image colorimetry quantification

M. Lutfi Firdaus, Melfi Puspita, Wiwit Alwi, Ghufira more...

AIP Conference Proceedings 1904, 020066 (2017); https://doi.org/10.1063/1.5011923

SHOW ABSTRACT

#### November 2017

# Phytochemical screening, total phenolic, total flavonoids contents and antioxidant activity of cinchona ledgeriana leaves ethanol extract

Andini Sundowo, Nina Artanti, M. Hanafi, Minarti more...

AIP Conference Proceedings 1904, 020067 (2017); https://doi.org/10.1063/1.5011924

#### SHOW ABSTRACT

November 2017

### Production of biodiesel from Coelastrella sp. microalgae

Dieni Mansur, Muhammad Arifuddin Fitriady, Dwi Susilaningsih, and Sabar Pangihutan Simanungkalit

AIP Conference Proceedings 1904, 020068 (2017); https://doi.org/10.1063/1.5011925

#### SHOW ABSTRACT

:

:

## :

÷

## Antioxidant activity of fermented broccoli and spinach by Kombucha culture

Nina Artanti, Agustine Susilowati, Aspiyanto, Puspa Dewi Narrij Lotulung more...

AIP Conference Proceedings 1904, 020069 (2017); https://doi.org/10.1063/1.5011926

SHOW ABSTRACT

#### November 2017

### Effect of citronella essential oil fractions as oil phase on emulsion stability

Melati Septiyanti, Yenny Meliana, and Egi Agustian

AIP Conference Proceedings 1904, 020070 (2017); https://doi.org/10.1063/1.5011927

SHOW ABSTRACT

November 2017

## Optimization of chromatographic conditions for determination of aflatoxin B1, B2, G1 and G2 by using liquid chromatography-mass Spectrometry

Dillani Putri Ramadhaningtyas, Nurhani Aryana, Yosi Aristiawan, and Dyah Styarini

AIP Conference Proceedings 1904, 020071 (2017); https://doi.org/10.1063/1.5011928

SHOW ABSTRACT

November 2017

# Phytochemical analysis of Binahong (*Anredera Cordifolia*) leaves extract to inhibit *In Vitro* growth of *Aeromonas Hydrophila*

Mohammad Basyuni, Prita Yulianti Anasta Br Ginting, and Indra Lesmana

AIP Conference Proceedings 1904, 020072 (2017); https://doi.org/10.1063/1.5011929

SHOW ABSTRACT

November 2017

Targetting the hemozoin synthesis pathway for antimalarial drug and detected by TEM (Transmission electron microscope)

Jamilah Abbas, Nina Artanti, Andini Sundowo, Indah Dwiatmi Dewijanti more...

AIP Conference Proceedings 1904, 020073 (2017); https://doi.org/10.1063/1.5011930

SHOW ABSTRACT

:

÷

:

November 2017 Degradation of 2,4,6-Trichlorophenol and hydrogen production simultaneously by TiO <sub>2</sub> nanotubes/graphene composite Slamet, and Raudina AIP Conference Proceedings 1904, 020074 (2017); https://doi.org/10.1063/1.5011931 SHOW ABSTRACT	
November 2017 <b>Disinfection of <i>Escherichia coli</i> bacteria using hybrid method of ozonation and hydrodynamic cavitation with orifice plate</b> Eva F. Karamah, Rioneli Ghaudenson, Fitri Amalia, and Setijo Bismo AIP Conference Proceedings <b>1904</b> , 020075 (2017); https://doi.org/10.1063/1.5011932	
SHOW ABSTRACT	:
November 2017 <b>Kinetic studies of adsorption in the bioethanol dehydration using polyvinyl alcohol, zeolite and</b> <b>activated carbon as adsorbent</b> J. A. Laksmono, I. M. Pratiwi, M. Sudibandriyo, A. Haryono more AIP Conference Proceedings 1904, 020076 (2017); https://doi.org/10.1063/1.5011933 SHOW ABSTRACT	:
November 2017 <b>Fenton process combined with coagulation for the treatment of black liquor from bioethanol</b> <b>wastewater</b> Muryanto Muryanto, Ummu Hanifah, Feni Amriani, Ahmad Faiz Ibadurrahman more AIP Conference Proceedings 1904, 020077 (2017); https://doi.org/10.1063/1.5011934 SHOW ABSTRACT	:
November 2017 <b>Hydrodeoxygenation of bio-oil using different mesoporous supports of NiMo catalysts</b> Nino Rinaldi, Sabar P. Simanungkalit, and Anis Kristiani	

AIP Conference Proceedings **1904**, 020078 (2017); https://doi.org/10.1063/1.5011935

## Synthesis and characterization of non halogen fire retardant composite through combination of epoxy resin, $Al(OH)_3$ additive and filler

Asep Handaya Saputra, and Faraj Sungkar

AIP Conference Proceedings 1904, 020079 (2017); https://doi.org/10.1063/1.5011936

SHOW ABSTRACT

November 2017

## Synthesis of carbon nanotube using camphor with SS 316 as catalytic substrate via oxidative heat treatment preparation method

Praswasti Pembangun Dyah Kencana Wulan, and Dian Angelina

AIP Conference Proceedings 1904, 020080 (2017); https://doi.org/10.1063/1.5011937

SHOW ABSTRACT

November 2017

## Effect of one step KOH activation and CaO modified carbon in transesterification reaction

Abd Rahim Yacob, and Muhammad Azam Muhammad Zaki

AIP Conference Proceedings 1904, 020081 (2017); https://doi.org/10.1063/1.5011938

SHOW ABSTRACT

November 2017

### Mechanism and kinetics of uranium adsorption onto soil around coal-fired power plant

Nurzulaifa Shaheera Erne Mohd Yasim, Nik Azlin Nik Ariffin, Noradila Mohammed, and Syafina Ayob

AIP Conference Proceedings 1904, 020082 (2017); https://doi.org/10.1063/1.5011939

SHOW ABSTRACT

November 2017

# Preparation, characterization and adsorption study of o-cresol molecularly imprinted grafted silica gel sorbent synthesized by sol-gel polymerization

Mohamad Raizul Zinalibdin, Jafariah Jaafar, Zaiton Abdul Majid, and Mohd Marsin Sanagi

AIP Conference Proceedings 1904, 020083 (2017); https://doi.org/10.1063/1.5011940

:

:

:

SJR Sc	imago Journal & Co	untry Rank Enter Jo	ournal Title, ISS	N or Publisl	ner Name
Home	Journal Rankings	Country Rankings	Viz Tools	Help	About Us
Α	P Confe	erence P	roce	edin	as
2					3
Country	United States				17
Subject Area and Category	Physics and Astrono	my onomy (miscellaneous	)		4/
Publisher			/		H Index
Publication type	Conferences and Pro	ceedings			
ISSN	0094243X				
Coverage	1983-1984, 2005-ong	joing			

**Scope** AIP Conference Proceedings report findings presented at many of the most important scientific meetings around the world. Published proceedings are valuable as topical status reports providing quick access to information before it appears in the traditional journal literature. (source)



http://www.scimagojr.com/journalsearch.php?q=26916&tip=sid&clean=0

1





 Show this widget in your own website

> Just copy the code below and paste within your html code:

<a href="http://www.scimagojr.











Powered by:



Scimago Lab, Copyright 2007-2017. Data Source: Scopus®

## Thermal Hydrogen Reduction for Preservation of Mesoporous Silica Film Nanocomposites with a Hexagonal Structure Containing Amphiphilic Triphenylene

Hendrik O. Lintang<sup>1,2,3,a)</sup>, Mohamad Azani Jalani<sup>4</sup> and Leny Yuliati<sup>1,2,3</sup>

<sup>1</sup>Ma Chung Research Center for Photosynthetic Pigments, Universitas Ma Chung, Villa Puncak Tidar N-01, Malang 65151, East Java, Indonesia.

<sup>2</sup>Department of Chemistry, Faculty of Science and Technology, Universitas Ma Chung, Villa Puncak Tidar N-01, Malang 65151, East Java, Indonesia.

<sup>3</sup>Centre for Sustainable Nanomaterials, Ibnu Sina Institute for Scientific and Industrial Research,

Universiti Teknologi Malaysia, 81310 UTM Johor Bahru, Johor, Malaysia.

<sup>4</sup>Department of Chemistry, Faculty of Science, Universiti Teknologi Malaysia,

81310 UTM Johor Bahru, Johor, Malaysia.

<sup>a</sup>Corresponding author: hendrik.lintang@machung.ac.id

Abstract. We highlight that columnar assembly of self-assembled templates was successfully utilized using sol-gel technique of mesostructured silica for the quality improvement of transparent mesoporous film nanocomposites with a hexagonal structure through appropriate heat treatment methods and self-assembled templates in the removal of organic components. In contrast to the reported mesostructured silica film nanocomposites containing columnar assembly of trinuclear gold(I) pyrazolate complex ([Au<sub>3</sub>Pz<sub>3</sub>]<sub>C10TEG</sub>/silica<sub>hex</sub>) with calcination at 450 °C, mesostructured silica film nanocomposites from self-assembled template of triphenylene bearing amphiphilic decoxy triethylene glycol side chains (TP<sub>C10TEG</sub>/silica<sub>hex</sub>) can be completely collapsed upon calcination at 450 °C. This hexagonal structure can be only preserved with calcination at 250 °C although intensity of its main diffraction peak of  $d_{100}$  at  $2\theta$  of  $3.70^{\circ}$  was significantly decreased. On the other hands, thermal hydrogen reduction at the same temperature was found to be the best heat treatment to preserve the quality of mesoporous silica film nanocomposites with decreasing in intensity of diffraction peak up to 30%. Such phenomenon might be caused by slow decomposition of organic components with the presence of hydrogen gas upon heating to shrinkage the silica wall from interpenetration of ethylene glycol segments of the side chains and to open bonding of benzene ring from the core.

## **INTRODUCTION**

High quality of hexagonal mesoporous silica nanocomposites such as *Mobil Composition of Matter* (MCM)-41 and *Santa Barbara Amorphous*-15 (SBA-15) [1-4] have attracted particular attention for the development of high performance materials with various potential applications such as adsorbents [5], catalysts [6], sensor [7], drug delivery [8], and support for growing metal nanoparticles [9]. Recently, one-dimensional (1D) nanostructures with optoelectronic anisotropic properties [10] have received special attention to be immobilized into the silicate channels using columnar assembly or disk-shaped organic molecules bearing oligo(ethylene glycol) side chains from triphenylene [11,12], metallophthalocyanine [13], hexa-*peri*-benzocoronene [12,14], dinuclear Platinum(II) bipyridine complex [15], and trinuclear gold(I) pyrazolate complex [16-22]. In contrast to conventional method, these self-assembled templates have been utilized as a functional surfactant in the sol-gel synthesis of mesoporous silica for preparation of nanomaterials with dense filling of organic groups [11-24].

Amphiphilic triphenylene was found as one of the self-assembled templates from the fused benzene core [11, 12]. Okabe and co-workers have reported that the resulting mesostructured silica nanomaterials containing this template

Proceedings of the 3rd International Symposium on Applied Chemistry 2017 AIP Conf. Proc. 1904, 020049-1–020049-6; https://doi.org/10.1063/1.5011906 Published by AIP Publishing. 978-0-7354-1594-2/\$30.00 were reported to be collapsed in the calcination at 450 °C for 3 hours if they did not use any acceptor molecules such as 7,7,8,8-tetracyanoquinodimethane (TCNQ), 2,4,7-trinitro-9-fluorenone (TNF), chloranil (CA), 2,3,6,7,10,11hexacyano-hexaazatriphenylene (HAT), and 1,2,4,5-tetracyanobenzene (TCNB) for self-assembly with TP as a donor to form charge-transfer complexes in the sol-gel synthesis [11]. These acceptors compounds are generally expensive and less stable as well quite difficult to be found in the market or synthesized. However, there is no any report to synthesize the mesoporous nanocomposites with preservation of the original quality from columnar assembly of triphenylene in its mesostructured silicates with another method. Hence, this research aims to synthesize mesoporous silica nanocomposites containing columnar assembly of triphenylene for preservation of its original quality without using an acceptor molecule. Particularly, by using thermal hydrogen reduction at lower temperature (250 °C), we have successfully preserved the quality of mesoporous silica film nanocomposites with less decreasing in its diffraction intensity. Such simple physical heat treatment even at low temperature was encouraged from our report in the synthesis of gold nanoparticles in the silicate nanochannels from immobilized columnar assembly of trinuclear gold(I) pyrazolate complex [22].

## **EXPERIMENTAL METHODS**

### General

Monitoring of chemical reactions was performed on thin-layer chromatography (TLC) using Merck pre-coated silica gel plates with thickness in 0.2 mm by spotting small amount of starting compounds and desired product. Mass spectrum was measured on AB Sciex MALDI-TOF/TOF<sup>TM</sup> 5800 spectrometry for the measurement of molecular weight and monoisotopic pattern with ionization in positive ion and reflection modes. Calcination was performed using Nabertherm model electronic muffle furnace, while thermal hydrogen reduction was performed using Carbolite model quartz tube furnace. X-ray diffraction (XRD) measurements with CuK $\alpha$  radiation (40 mA and 40 kV) were performed using Bruker D8 Advance diffractometer (a step size of 0.02° min<sup>-1</sup> and scan speed of 2° min<sup>-1</sup>). Ultraviolet-visible (UV-vis) spectra were measured on Thermo Scientific GENESYS 10S with scan speed of 100 nm min<sup>-1</sup>.

## Synthesis of Amphiphilic Triphenylene

Triphenylene bearing amphiphilic decoxy triethylene glycol side chains (**TP**<sub>C10TEG</sub>) was prepared using Williamson ether substitution reaction in a round-bottom flask under an inert condition [11, 25] as shown in Figure 1. 2,3,6,7,10,11-hexahydroxytriphenylene (**TP**<sub>OH</sub>) was bought from Tokyo Chemical Industry Co., Ltd. while amphiphilic decoxy triethylene glycol bromide (**C10TEGBr**) was prepared in three step stepwise reactions from triethylene glycol monomethyl ether. Typically, the mixture of **TP**<sub>OH</sub> (80.00 mg, 0.25 mmol) and **C10TEGBr** (1.00 g, 2.61 mmol) in the presence of potassium carbonate (K<sub>2</sub>CO<sub>3</sub>; 600.00 mg, 4.35 mmol) was refluxed using N,N-dimethylformamide (DMF) in 10 mL under an inert condition for 66 hours at 90 °C. After completion of the reaction as confirmed by checking using TLC, insoluble substances were filtrated from the reaction mixture. Under a reduced pressure, evaporation of the filtrate gave the desired product as a residue. Column chromatography was used for the purification consisting of silica gel with 80:1 of dichloromethane (CH<sub>2</sub>Cl<sub>2</sub>) to methanol (MeOH) as an eluent. The desired product was collected as purified fraction, evaporated and then dried under a reduced pressure. By using vacuum pump under reduced pressure, the final desired product as oily liquid was freeze-dried in benzene to give 298.00 mg (30% yield, 0.14 mmol) with a brownish color.

## Sol-Gel Synthesis of Thin Mesostructured Silica Film Nanocomposites

Thin mesostructured silica film nanocomposites (**TP**<sub>C10TEG</sub>/silica<sub>hex</sub>) was prepared using sol-gel synthesis of **TP**<sub>C10TEG</sub> in the acidic ethanolic solution without the presence of any acceptor [11]. In that reaction, ethanol (EtOH) in 0.01  $\mu$ mol (595.60 mg) in an acidic solution consisting of 30.60  $\mu$ mol of hydrochloric acid (HCl; 3.90 mg) in 0.26  $\mu$ mol of water (H<sub>2</sub>O; 45.40 mg) was used for self-assembly and oligomerization with 0.17  $\mu$ mol of **TP**<sub>C10TEG</sub> (36.30 mg) in the presence of 5.10  $\mu$ mol of silica source (162.00 mg) from tetrabutyl orthosilicate (TBOS). The mixture was prepared and wrapped in small sample bottle at room temperature. The final composition was calculated to be 1: 30: 150: 770: 1.8 for [**TP**<sub>C10TEG</sub>]/ [TBOS]/ [H<sub>2</sub>O]/ [EtOH/ [HCl]. After 12 hours, a transparent thin film on top of a quartz substrate was fabricated from viscous solution of the mixture using spin-coater with a speed of 3000 rpm in 15 seconds. For enhancing the structure, as-synthesized thin film was dried at room temperature for 24 hours. For structural

analysis, heat treatments of **TP**<sub>C10TEG</sub>/silica<sub>hex</sub> was performed using calcination at various temperatures from 250 until 450 °C and thermal hydrogen reduction at 250 °C in the presence of hydrogen gas.

## **RESULTS AND DISCUSSION**

Amphiphilic **TP**<sub>C10TEG</sub> was synthesized by reacting **TP**<sub>OH</sub> and **C10TEGBr** under a basic condition (K<sub>2</sub>CO<sub>3</sub>) in DMF at 90 °C using Williamson ether substitution reaction for 66 hours as shown in Figure 1. Six hydroxyl groups of **TP**<sub>C10TEG</sub> will be substituted with amphiphilic alkyl bromide. To confirm this reaction, the characterization using <sup>1</sup>H– and <sup>13</sup>C–NMR spectroscopy and MALDI-TOF/TOF spectrometry were reported to confirm the structure of **TP**<sub>C10TEG</sub>. <sup>1</sup>H– and <sup>13</sup>C–NMR spectra were clearly confirmed the number of proton and carbon including their chemical shifts and integrations as reported previously [25]. Moreover, by using MALDI-TOF/TOF mass spectrometer, the mass spectrum showed the same monoisotopic pattern compared to the prediction one with a molecular formula of C<sub>120</sub>H<sub>217</sub>O<sub>30</sub> at 2137.5376 Dalton. The calculated molecular weight for the same molecular formula was 2137.2607 Dalton, which is very closed to the observed one. Therefore, this result indicates that **TP**<sub>C10TEG</sub> as oily liquid was successfully synthesized with a brownish color in 30%. Of interest, the thin film on a quartz substrate showed optical properties with the presence of absorption peak as a broad spectrum from 200 to 270 nm, indicating *π*-*π* stacking from the self-assembly of **TP**<sub>C10TEG</sub> molecules with a columnar structure from fused benzene core [25].



FIGURE 1. Synthesis and molecular structure of amphiphilic triphenylene bearing decoxy triethylene glycol (**TP**<sub>C10TEG</sub>) from Williamson ether substitution reaction between 2,3,6,7,10,11-hexahydroxytriphenylene (**TP**<sub>OH</sub>) and amphiphilic decoxy triethylene glycol bromide (**C10TEGBr**) as shown in reference [11].

Figure 2 shows XRD patterns for thin film **TP**<sub>C10TEG</sub>/silica<sub>hex</sub> without and with thermal treatments. Before thermal treatments (Figure 2[A] and2[B]), XRD peak of spin-coated film (a) showed characteristic diffraction peaks (d) of  $d_{100}$  and  $d_{200}$  at  $2\theta$  of 2.70° and 5.25° for mesostructured silica nanocomposite with a hexagonal structure. By using the Bragg' law, d-spacing of **TP**<sub>C10TEG</sub>/silica<sub>hex</sub> at  $2\theta$  of 2.70° was calculated to be 3.27 nm [11,16,25]. Moreover, the absence of  $d_{110}$  indicates that the orientation of c-axis for the hexagonal unit cell to the quartz surface is parallel for thin film sample as obtained from the fabrication. Such diffraction peaks with that geometry have generally found for mesostructured and mesoporous silica nanocomposites when the materials were fabricated as thin film onto any substrates.

Heat treatment for thin film samples can be easily and physically performed to clarify the formation of a hexagonal structure of mesostructured materials compared to other techniques using instrumentation such as transmission electron microscopy involving sample preparation using either focus-ion beam (FIB) or ultramicrotome or using chemical treatments such as extraction of template. After heat-treatment, if the materials can still preserved the diffraction peaks for hexagonal structure, the as-fabricated mesostructured materials have actually owned that geometry. On the other hands, disappearance of its diffraction peaks indicates that the as-fabricated mesostructured materials have a lamellar structure. For investigation of hexagonal structure in mesostructured silica **TP**<sub>C10TEG</sub>/silica<sub>hex</sub>, thermal treatment such as calcination at 450 °C (1 °C min<sup>-1</sup> as the heating rate) for 3 hours was carried out. As reported by Okabe *et al.* [11], **TP**<sub>C10TEG</sub>/silica<sub>hex</sub> without an acceptor molecule for the sol-gel synthesis with **TP**<sub>C10TEG</sub> provided disruption of hexagonal structure up to 100% after calcination at 450 °C (or 3 hours (Figure 2[A](f)). As shown in Figure 2[A] with variation calcination temperature from 400 (e), 350 (d) and 300 °C (c), this phenomenon was also

observed even the calcination temperature was reduced to 300 °C with the same reaction time. Such results indicate that hexagonal structure in the as-synthesized mesostructured silica nanocomposite is not strong enough to preserve its own structure. Interestingly, when the calcination temperature was reduced to as low as 250 °C (closed to temperature for decomposition of organic components in **TP**<sub>C10TEG</sub>) (Figure 2[A](b)), the hexagonal structure can be only preserved up to 20% (80% decreasing in intensity) from the calculation of the intensity ratio. Moreover, it gave shifting of  $d_{100}$  from  $2\theta$  of 2.70° with *d*-spacing of 3.27 nm to  $2\theta$  of 3.70° with *d*-spacing of 2.39 nm as shown in Table 1. Such low calcination temperature helps the mesostructured to preserve the hexagonal structure from heat treatment.



**FIGURE 2.** XRD diffractograms of **TP**<sub>C10TEG</sub>/silica<sub>hex</sub> [A] after calcination for 3 hours at (b) 250, (c) 300, (d) 350, (e) 400 and (f) 450 °C as well as [B] thermal hydrogen reduction for 2 hours at (g) 250 °C. XRD pattern of (a) **TP**<sub>C10TEG</sub>/silica<sub>hex</sub> before both thermal treatments in [A] and [B].

Label	Sample	<i>d</i> <sub>100</sub> XRD Peak Position (deg.)	<i>d</i> <sub>100</sub> XRD Peak Intensity (a. u.)
(a)	$TP_{C10TEG}$ /silica <sub>hex</sub> film before heat treatments	2.70	10174
(b)	<b>TP</b> <sub>C10TEG</sub> /silica <sub>hex</sub> film after calcination at 250 °C	3.70	2070
(c)	<b>TP</b> <sub>C10TEG</sub> /silica <sub>hex</sub> film after calcination at 300 °C	5.34	368
(d)	<b>TP</b> <sub>C10TEG</sub> /silica <sub>hex</sub> film after calcination at 350 °C	- (sample decomposed)	-
(e)	<b>TP</b> <sub>C10TEG</sub> /silica <sub>hex</sub> film after calcination at 400 °C	- (sample decomposed)	-
(f)	<b>TP</b> <sub>C10TEG</sub> /silica <sub>hex</sub> film after calcination at 450 °C	(sample decomposed)	_
(g)	<b>TP</b> <sub>C10TEG</sub> /silica <sub>hex</sub> film after thermal hydrogen reduction at 250 °C	3.20	7017

**TABLE 1.** Summary for  $d_{100}$  XRD peak position and intensity for **TP**<sub>C10TEG</sub>/silica<sub>hex</sub> thin film nanocomposite before and after both heat treatments

Thermal hydrogen reduction can be also performed to evaluate the quality or preservation of mesostructured materials having particular structure by flowing hydrogen gas to quartz tube furnace containing thin film sample at the center during the heat treatment at certain temperature. In contrast, calcination method just used electronic muffle furnace at certain heating temperature. Interestingly, when thermal hydrogen reduction was performed at 250 °C (1 °C min<sup>-1</sup> as the heating rate) for 2 hours as the best temperature for calcination method, the resulting mesoporous silica showed decreasing in intensity of  $d_{100}$  diffraction peak from 10174 to 7017 (in a. u.), which is up to 30% of its original height (Figure 2[B](g)). This result provided shifting of *d*-spacing from 3.27 to 3.20 nm (Tabel 1). Moreover,

calculation of the reduction of *d*-spacing for both methods at 250 °C indicates that decreasing of *d*-spacing for calcination method (0.88 nm) was higher than that of thermal hydrogen reduction (0.51 nm). Hence, decomposition of organic components in the silicate nanochannels with thermal hydrogen reduction was slowly occurred with the presence of hydrogen gas upon heating so that shrinkage of the silica wall from interpenetration of ethylene glycol segments of the side chains and ring opening of bonding of benzene ring from the core of **TP** were coincidently took place without significantly disruption of a hexagonal structure.

## CONCLUSIONS

Thin mesostructured silica film nanocomposite with a hexagonal structure was successfully fabricated as a transparent film onto a quartz glass using sol-gel synthesis of columnar assembled triphenylene (**TP**<sub>C10TEG</sub>) as a template. The hexagonal structure can be easily preserved and confirmed from the as-synthesized by using thermal hydrogen reduction at 250 °C with small reduction in *d*-spacing compared to the calcination method at the same temperature. This result indicates the slow decomposition and ring opening of the organic components from **TP**<sub>C10TEG</sub> molecules inside the silicate nanochannels for the preservation of a hexagonal structure. Such simple method with physical treatment may shed light on the method for confirmation of particular nanostructure from thin film sample without using chemical treatment or modification in the molecular level.

## ACKNOWLEDGMENTS

The authors would like to thank to Ministry of Higher Education (MOHE), Malaysia through Universiti Teknologi Malaysia (UTM) for the financial using Research University Grant Scheme (RUGS) with type of Tier 1 (Q.J130000.2526.10H11). The authors would also like to appreciate the contribution of Centre for Sustainable Nanomaterials (CSNano), UTM for providing instrumentations in the characterization. Particularly, H. O. Lintang would like to thank to Ma Chung Research Center for Photosynthetic Pigments, Universitas Ma Chung, Indonesia for the additional financial support.

## REFERENCES

- J. S. Beck, J. C. Vartuli, W. J. Roth, M. E. Leonowicz, C. T. Kresge, K. D. Schmitt, C. T.-W. Chu, D. H. Olson, E. W. Sheppard, S. B. McCullen, J. B. Higgins, and J. L. Schlenkert, J. Am. Chem. Soc. 114, 10834–10843 (1992).
- D. Zhao, J. Feng, Q. Huo, N. Melosh, G. H. Fredrickson, B. F. Chmelka, and G. D. Stucky, Science, 279, 548– 552 (1998).
- 3. F. Hoffmann, M. Cornelius, J. Morell, and M. Fröba, Angew. Chem. Int. Ed. 45, 3216–3251 (2006).
- 4. K. Ariga, A. Vinu, Y. Yamaguchi, Q. Ji, and J. P. Hill, Bull. Chem. Soc. Jpn. 85, 1–32 (2012).
- 5. K. Y. Ho, G. McKay, and K. L. Yeung, Langmuir 19, 3019–3024 (2003).
- 6. X. Wang, K. S. K. Lin, J. C. C. Chan, and S. Cheng, J. Phys. Chem. B 109, 1763–1769 (2005).
- 7. B. J. Melde, B. J. Johnson, and P. T. Charles, Sensors 8, 5202–5228 (2008).
- 8. M. Vallet-Regi, A. Ra'mila, R. P. del Real, and J. Pe'rez-Pariente, Chem. Mater. 13, 308–311 (2001).
- S. Cheng, Y. Wei, Q. Feng, K. Y. Qiu, J.-B. Pang, S. A. Jansen, R. Yin, and K. Ong, Chem. Mater. 15, 1560– 1566 (2003).
- 10. G. A. Ozin, Adv. Mater. 4, 612–649 (1992).
- 11. A. Okabe, T. Fukushima, K. Ariga, and T. Aida, Angew. Chem. Int. Ed. 41, 3414–3417 (2002).
- 12. A. Okabe, M. Niki, T. Fukushima, and T. Aida, Chem. Commun. 2572–2573 (2004).
- 13. M. Kimura, K. Wada, K. Ohta, K. Hanabusa, H. Shirai, and N. Kobayashi, J. Am. Chem. Soc. **123**, 2438–2439 (2001).
- 14. J. Wu, J. Li, U. Kolb, and K. Müllen, Chem. Commun. 48–50 (2006).
- 15. W. Otani, K. Kinbara, and T. Aida, Faraday Discuss. 143, 335–343 (2009).
- 16. H. O. Lintang, K. Kinbara, K. Tanaka, T. Yamashita, and T. Aida, Angew. Chem. Int. Ed. 49, 4241–4245 (2010).
- H. O. Lintang, K. Kinbara, Y. Yamashita, and T. Aida, 2010 International Conference on Enabling Science and Nanotechnology, ESciNano 2010 – Proceedings 2010, IEEE proceedings (Kuala Lumpur, Malaysia, 2010), Article number 5700970.

- 18. H. O. Lintang, K. Kinbara, K. Tanaka, Y. Yamashita, and T. Aida, Chem. Asian J. 7, 2068–2072 (2012).
- 19. H. O. Lintang, K. Kinbara, and T. Aida, 2012 International Conference on Enabling Science and Nanotechnology, ESciNano 2012 Proceedings 2012, IEEE proceedings (Johor, Malaysia, 2012), Article Number 6149684.
- 20. H. O. Lintang, L. Yuliati, and S. Endud, Mater. Res. Innov. 18, S6-444-S6-448 (2014).
- 21. M. A. Jalani, L. Yuliati, S. Endud, and H. O. Lintang, Adv. Mater. Res. 925, 233-237 (2014).
- 22. M. A. Jalani, L. Yuliati, and H. O. Lintang, Jurnal Teknologi 70, 131–136 (2014).
- 23. T. Aida and K. Tajima, Angew. Chem. Int. Ed. 40, 3803–3806 (2001).
- 24. C. J. Brinker, Y. Lu, Y. Yang, A. Sellinger, M. Lu, J. Huang, H. Fan, R. Haddad, G. Lopez, A. R. Burns, D. Y. Sasaki, and J. Shellnut, Nature **410**, 913–917 (2001).
- H. O. Lintang, M. A. Jalani, L. Yuliati, and M. M. Salleh, 4<sup>th</sup> International Conference on Advanced Materials Science and Technology 2016, ICAMST 2016, IOP Conference Series: Materials Science and Engineering, edited by M. Diantoro et al. (Malang, Indonesia, 2017), Vol. 202, Article number 012003.